



*Corrigendum No. 8  
REQUEST FOR PROPOSAL (RFP)  
for  
Selection of System Integrator for  
Design, Development,  
Implementation and Maintenance  
of CG SRDH Solution*



CHhattisgarh Infotech Promotion Society

**(CHIPS)**

State Data Centre Building, Near Police Control Room,

Civil Lines, Raipur, Chhattisgarh-492001

Tel.: +91-771-4014158

Email: [ceochips@nic.in](mailto:ceochips@nic.in), Website: [www.chips.gov.in](http://www.chips.gov.in)

Corrigendum Number: 01/SRDH/2016/Corrig8

06<sup>th</sup> January' 2017

Tender Reference Number: 25/CEO/CHiPS/SRDH/2016dated14/10/2016

Project Name: Selection of System Integrator for Design, Development,  
Implementation and Maintenance of CG SRDH Solution.

*Important Dates:*

Last Date for Submission of bids – 12/ 01/ 2017, 3:00 PM

Opening of Pre-Qualification & Technical bids – 12/ 01/ 2017, 4:00 PM

Presentation on Proof of Concept (POC) and Technical Bid by Shortlisted Bidders -  
23/ 01/ 2017, 01:30 pm

Opening of Commercial Bid - 24/ 01/ 2017, 3:30 PM

**Important Notes:**

- Bidders are requested to submit a signed copy of this corrigendum with Bid Submission.
- CHiPS reserves the rights to amend the dates mentioned above.

Refer Annexure 'C' for revised clauses of RFP.

**Annexure 'C': Revised Clauses for Tender No. 25/CEO/CHiPS/SRDH/2016**

S. No.	RFP Clause No.	Page No	Original Clause	Revised/ New Clause
1	Annexure-15: Technical Fact Sheet of Servers	301	Parameter: Server CPU  Server should be configured to deliver 1700 SPECint2006_rate PEAK	Server should be configured to deliver 1700 SPECint2006_rate PEAK. In case SPECint2006_rate is not available at <a href="http://www.spec.org">www.spec.org</a> , then certificate from OEM with extrapolated value of proposed server should be submitted.
2	Annexure-15: Technical Fact Sheet of Servers	301	Parameter: Server CPU  Adequate number of Sockets/Processor Cores should be configured to meet the minimum performance criteria. The estimated SPECint2006_rate for offered clock should be made available at SPEC.org	Adequate number of Sockets/Processor Cores should be configured to meet the minimum performance criteria.
3	Annexure-15: Technical Fact Sheet of Servers	302	Parameter: Internal Disk  The server should be capable of adding another 12X600 GB SAS SFF-3 internal drives on the existing storage backplane	This clause/ specification has been deleted.

**Annexure 'C': Revised Clauses for Tender No. 25/CEO/CHiPS/SRDH/2016**

S. No.	RFP Clause No.	Page No	Original Clause	Revised/ New Clause
4	Annexure-15: Technical Fact Sheet of Servers	302	Parameter: Input/ Output  Minimum 4X2P 8GBps FC Adapter across 2 different adapters	Minimum 4X8GBps FC Adapter across 2 different adapters