

## Corrigendum Document – Tender No. 47/CEO/CHiPS/CECB/2017

Date : 07/11/2017

|   |   |
|---|---|
| Corrigendum Reference Number              | 47/CEO/CHiPS/CECB/2017/Corrig2  |
| Tender Reference Number                   | 47/CEO/CHiPS/CECB/2017  |
| Project Name                              | Selection of Vendor for Supply, Commission and Maintenance of Real Time Data Acquisition and Handling of CAAQMS/CEMS/EQMS data through Client-Server System from Industries located across Chhattisgarh State |
| Last Date and time for submission of bids | Tuesday, 14/11/2017 up to 03 :00PM  |
| Physical submission of EMD/DD             | Tuesday, 14/11/2017 between 03 :00 PM to 05 :00 PM  |
| Date of Technical Bid Opening             | Wednesday, 15/11/2017 upto 12 PM  |

**Note:** Bidder has to submit the signed copy of this corrigendum with the Technical Bid in envelope B.



**Chhattisgarh Infotech & Biotech Promotion Society  
(CHiPS)**

**State Data Center Building, Near Police Control Room,  
Civil Line Raipur, Chhattisgarh-492001**

**Tel: 0771-4014158 Email: [ceochips@nic.in](mailto:ceochips@nic.in), Website: [www.chips.gov.in](http://www.chips.gov.in)**

**Corrigendum – Tender No – 47/CEO/CHiPS/CECB/2017**

| <b>S.No</b> | <b>Section No</b> | <b>Page No</b> | <b>RFP Clause</b>   | <b>Please read as below</b>  |
|-------------|-------------------|----------------|---|--|
| 1           | Annexure -XI      | 79             | Format for Power of Attorney<br><br>(To be provided in original as part of online Envelope-B: Technical Bid to CHiPS office as per tender document and softcopy should be uploaded in e-procurement system on along with actual bid submission on stamp paper of value required under law duly signed by authorized representative of Bank) | Format for Power of Attorney<br><br>(To be provided in original as part of Technical Proposal (Envelope – B) on stamp paper of value required under law duly signed by ‘lead bidder’ for the tender and softcopy should be uploaded in e-procurement system) |